

## Personal Information

### Dr. Bahareh Abtahi-Naeini

*(Board-certified Dermatologist)*



**Date of birth:** 3 March 1985

**Place of birth:** Isfahan Porovince, Iran

**Academic Degree :** M.D.

**Marital Status:** Married

**Address:** Skin Diseases and Leishmaniasis Research Center, Isfahan University of Medical Sciences, Isfahan University of Medical Sciences, Isfahan, Iran

**Mobile:** +98-9133182036

**Phone:** +98-3132644334

**Email:** [Abtahi.bahareh@yahoo.com](mailto:Abtahi.bahareh@yahoo.com)

[Bahareh.abtahi@med.mui.ac.ir](mailto:Bahareh.abtahi@med.mui.ac.ir)

**Researchgate address:** [https://www.researchgate.net/profile/Bahareh\\_Abtahi-Naeini2](https://www.researchgate.net/profile/Bahareh_Abtahi-Naeini2)

## Educational Background

- Faculty of medicine, Semnan, Iran, 2004-20011(MD)
- Faculty of medicine, Isfahan University of Medical Sciences, Isfahan, Iran. (Resident of Dermatology)

### **Title of thesis:**

Clinical trial of the effect of Fractionated Microneedle Radiofrequency in the treatment of severe primary axillary hyperhidrosis

Irct registration number: IRCT2013111915455N1

Date registered: January 23, 2014

<http://www.irct.ir/searchresult.php?id=15455&number=1>

## Skills & Activities

- **Associated editor** of Advanced Biomedical Research (ABR) journal . An online peer-review journal, Isfahan University of medical sciences, Isfahan, Iran.
- **Reviewer of :**
  - Experimental Dermatology
  - Advanced Biomedical Research
  - DARU Journal of Pharmaceutical Sciences
  - Caspian Journal of Internal Medicine
  - Oman Medical Journal
- **Basic research skills:**
  - Familiar with Windows, Microsoft office abilities.
  - Familiar with search methodology in the scientific data bases such as Medline.
  - Familiar with Endnote software in managing research reports/manuscript/papers.
  - Successfully completed the theoretical and practical training workshop entitled scientific medical writing
- **Professional skills:**
  - Clinical Dermatology, Dermatopathology, Topical Administration, Dermatology Imaging, Pediatric Dermatology.
  - Experiences on Fractionated Microneedle Radiofrequency using INFINI, lutronic.
  - Experiences on Stem cell Research. (*In-vitro*).
- **Languages:**
  - Persian (native)
  - English (professional)
  - Arabic (elementary)
- **Research Interest:**
  - Dermatology: Cutaneous lymphomas, Mycosis fungoides, Hyperhidrosis, Pediatric dermatology
  - Pharmacology: Adverse cutaneous drug reactions
  - Epidemiological study

## Awards and Honors:

- Rewarded for been **the best Researcher** of Isfahan University of Medical Sciences, Iran. (Residency /Fellowship level) (Jan 2015)
- Rewarded for been the elected resident in the 3th students' festival of Iranian scientific association of clinical laboratory. (Feb 2015)
- Rewarded for been First in 18<sup>th</sup> generation of graduated students of medicine of Semnan University of medical science. Iran. (Sep 2011)
- Rewarded for been Sixth (***GOLD MEDALIUM***) in Third Olympiad Universities Academic Medical Students, Iran. (Sep 2011)
- Rewarded for been ten places in exam of pre-internship of Iranian medical students, ministry of health Iran.(Sep 2009)

## Publications

- [1] Iraj F PM, **Abtahi-Naeini B**, Meidani M, Rajabi P. Bacillary angiomatosis in immunocompetent patient with atypical manifestations. *Indian J Dermatol* 2015;60:523.
- [2] Faghihi G NS, Asilian A, Keyvan S, **Abtahi-Naeini B**, Rakhshanpour M, Nilforoushzadeh MA, Hosseini SM. Efficacy of punch elevation combined with fractional carbon dioxide laser resurfacing in facial atrophic acne scarring: A randomized split-face clinical study. *Indian J Dermatol* 2015;60:473-8.
- [3] Siadat AH, Rezaei R, Asilian A, **Abtahi-Naeini B**, Rakhshanpour M, Raei M, et al. Repigmentation of Hypopigmented Scars Using Combination of Fractionated Carbon Dioxide Laser with Topical Latanoprost Vs. Fractionated Carbon Dioxide Laser Alone. *Indian J Dermatol* 2015; 60: 364-8.
- [4] Shahmoradi Z, Sadeghiyan H, Pourazizi M, Saber M, **Abtahi-Naeini B**. Recalcitrant Digital Porokeratosis of Mibelli: A Successful Surgical Treatment. *N Am J Med Sci* 2015; 7: 295-6.
- [5] Naeini FF, Soghrati M, **Abtahi-Naeini B**, Najafian J, Rajabi P. Co-existence of various clinical and histopathological features of mycosis fungoides in a young female. *Indian J Dermatol* 2015; 60: 214.
- [6] Naeini FF, Saffaei A, Pourazizi M, **Abtahi-Naeini B**. Histopathological evidence of efficacy of microneedle radiofrequency for treatment of axillary hyperhidrosis. *Indian J Dermatol Venereol Leprol* 2015; 81: 288-90.
- [7] Naeini FF, **Naeini BA**, Sadeghiyan H, Pourazizi M. Thinking outside the skin: Look at the thyroid for true diagnosis. *Journal of Paramedical Sciences* 2015; 5.
- [8] Iraj F, Jamshidi K, Pourazizi M, **Abtahi-Naeini B**. Dyskeratosis Congenita Without Oral Involvement: A Rare Hereditary Disease. *Oman Med J* 2015; 30: 212-5.
- [9] Iraj F, **Abtahi-Naeini B**, Heydari H, Pourazizi M. Pustular Bacterid: Look at the Throat for Prevention over Treatment. *Int J Prev Med* 2015; 6: 51.
- [10] Heydari H, **Abtahi-Naeini B**, Sepahi MA, Saffaei A, Pourazizi M. Acute suppurative parotitis: A rare entity in early infancy. *American Journal of Experimental and Clinical Research* 2015; 2: 89-90.
- [11] Fatemi Naeini F, Pourazizi M, **Abtahi-Naeini B**, Nilforoushzadeh MA, Najafian J. A novel option for treatment of primary axillary hyperhidrosis: fractionated microneedle radiofrequency. *J Postgrad Med* 2015; 61: 141-3.

- [12] Fatemi Naeini F, **Abtahi-Naeini B**, Sadeghiyan H, Nilforoushzadeh MA, Najafian J, Pourazizi M. Mycosis fungoides in Iranian population: an epidemiological and clinicopathological study. *J Skin Cancer* 2015; 2015: 306543.
- [13] Faghihi G, Iraj F, **Abtahi-Naeini B**, Saffar B, Saffaei A, Pourazizi M, et al. Complementary Therapies for Idiopathic Hirsutism: Topical Licorice as Promising Option. *Evid Based Complement Alternat Med* 2015; 2015: 659041.
- [14] Faghihi G, Basiri A, Pourazizi M, **Abtahi-Naeini B**, Saffaei A. Multiple cutaneous necrotic lesions associated with Interferon beta-1b injection for multiple sclerosis treatment: A case report and literature review. *J Res Pharm Pract* 2015; 4: 99-103.
- [15] Faghihi G, **Abtahi-Naeini B**, Nikyar Z, Jamshidi K, Bahrami A. Postoperative pyoderma gangrenosum: a rare complication after appendectomy. *J Postgrad Med* 2015; 61: 42-3.
- [16] Asilian A, **Abtahi-Naeini B**, Pourazizi M, Rakhshanpour M. Rapid Onset of Bullous Erythema Ab Igne: A Case Report of Atypical Presentation. *Indian J Dermatol* 2015; 60: 325.
- [17] **Abtahi-Naeini B**, Sadeghiyan H, Adibi N, Shokrollahi MR, Pourazizi M. Bullous dermatosis of childhood induced by gemfibrozil. *J Res Med Sci* 2015; 20: 207-8.
- [18] Siadat AH, Zeinali N, Iraj F, **Abtahi-Naeini B**, Nilforoushzadeh MA, Jamshidi K, et al. Narrow-Band Ultraviolet B versus Oral Minocycline in Treatment of Unstable Vitiligo: A Prospective Comparative Trial. *Dermatol Res Pract* 2014; 2014: 240856.
- [19] Shahmoradi Z, Mokhtari F, Pourazizi M, **Abtahi-Naeini B**, Saffaei A. Extensive abdominal wall and genital pyoderma gangrenosum: combination therapy in unusual presentations. *J Cutan Aesthet Surg* 2014; 7: 238-40.
- [20] Shahmoradi Z, **Abtahi-Naeini B**, Pourazizi M, Meidani M. Orf Disease Following "Eid ul-Adha": A Rare Cause of Erythema Multiforme. *Int J Prev Med* 2014; 5: 912-4.
- [21] Shahmoradi Z, **Abtahi-Naeini B**, Pourazizi M, Meidani M. Creeping eruption of the hand in an Iranian patient: Cutaneous larva migrans. *Adv Biomed Res* 2014; 3: 263.
- [22] Shahmoradi Z, **Abtahi-Naeini B**, Pourazizi M. Erosive pustular dermatosis of the scalp following hair transplantation. *Adv Biomed Res* 2014; 3: 176.
- [23] Mokhtari F, Nikyar Z, **Naeini BA**, Esfahani AA, Rahmani S. Adverse cutaneous drug reactions: Eight year assessment in hospitalized patients. *J Res Med Sci* 2014; 19: 720-5.
- [24] Mokhtari F, **Abtahi-Naeini B**, Pourazizi M. Erythema nodosum migrans successfully treated with indomethacin: A rare entity. *Adv Biomed Res* 2014; 3: 264.

- [25] Masjedi M, Saffaei A, Eskandari N, **Abtahi-naeini B**, Esmaeili N. Relationship between the serum levels of IL-2 and recurrence of pemphigus vulgaris. *American Journal of Experimental and Clinical Research* 2014; 1: 80.
- [26] Masjedi M, Asilian A, Shahmoradi Z, Rajabi Dehnavi P, **Abtahi Naeini B**. Successful treatment of pemphigus vulgaris with the extensive mucocutaneous lesions in an elderly patient. *Iran Red Crescent Med J* 2014; 16: e13967.
- [27] Fatemi Naeini F, Sadeghiyan H, Pourazizi M, Najafian J, **Abtahi-Naeini B**. Characteristics of Primary Cutaneous T-Cell Lymphoma in Iran: A 10-Year Retrospective Study. *International Scholarly Research Notices* 2014; 2014.
- [28] Fatemi Naeini F, **Abtahi-Naeini B**, Pourazizi M, Nilforoushzadeh MA, Mirmohammadkhani M. Fractionated microneedle radiofrequency for treatment of primary axillary hyperhidrosis: A sham control study. *Australas J Dermatol* 2014.
- [29] Faghihi G, Rakhshanpour M, **Abtahi-Naeini B**, Nilforoushzadeh MA. The efficacy of 5% dapson gel plus oral isotretinoin versus oral isotretinoin alone in acne vulgaris: A randomized double-blind study. *Adv Biomed Res* 2014; 3: 177.
- [30] Faghihi G, Jamshidi K, Tajmirriahi N, **Abtahi-Naeini B**, Nilforoushzadeh M, Radan M, et al. The efficacy of oral isotretinoin versus cyproterone compound in female patients with acne and the triad of cutaneous hyperandrogenism: A randomized clinical trial. *Adv Biomed Res* 2014; 3: 262.
- [31] **Abtahi-Naeini B**, Shapouri J, Masjedi M, Saffaei A, Pourazizi M. Unexplained facial scar: child abuse or ehlers-danlos syndrome? *N Am J Med Sci* 2014; 6: 595-8.

### Ahead of prints:

- Quality of life in patients with primary axillary hyperhidrosis before and after treatment with Fractionated Microneedle Radiofrequency. *Journal of Research in Medical Sciences*  
**Bahareh Abtahi-Naeini**, Farahnaz Fatemi Naeini, Neda Adibi , Mohsen Pourazizi
- Unusual cause of lower extremity wounds: Cobb syndrome, *International Wound Journal*  
**Bahareh Abtahi-naeini**, Ali Saffaei & Mohsen Pourazizi
- Primary cutaneous lymphomas: A clinical and histological study of 99 cases in Isfahan, Iran. *Journal of Research in Medical Sciences*  
Farahnaz Fatemi Naeini, **Bahareh Abtahi-Naeini**, Mohsen Pourazizi, Hamidreza Sadeghiyan, Jamshid Najafian

## Poster Presented at Conferences

Gita Faghihi, Mohsen pourazizi, **Bahareh Abtahi-Naeini**, Mehrdad Rakhshanpour, Aram Basiri: Multiple cutaneous necrotic lesions associated with interferon beta-1b injection (IFN- $\beta$ ) for multiple sclerosis treatment. 10th international Iranian MS Congress & 1st International Iranian congress of Devic syndrome; 10/2013 (international).

Fariba Iraj , **Bahareh Abtahi-Naeini**, Kioumars Jamshidi:Dyskeratosis congenita with atypical presentation: sparing of the oral cavity. 23th EADV, Amsterdam, Netherland.2014. POSTERID: P1161

Ali Asilian, Atefeh sadat kamali, Fatemeh Mokhtari, **Bahareh Abtahi-Naeini**:Pulsed dye laser plus topical timolol Gel in treatment of infantile hemangioma. 23th EADV, Amsterdam, Netherland.2014. POSTERID: P164

Faghihi Gita, **Abtahi-Naeini Bahareh**, Basiri Akram. Pourazizi Mohsen. Skin necrosis associated with interferon beta-1b injection in multiple sclerosis. 23th EADV, Amsterdam, Netherland.2014. POSTERID: P107

Farahnaz Fatemi Naeini, **Bahareh Abtahi-Naeini**, Mohsen Pourazizi: Mycosis Fungoides during pregnancy, 23th EADV, Amsterdam, Netherland.2014. POSTERID:

**Bahareh Abtahi-Naeini** , Farahnaz Fatemi Naeini :Mycosis fungoides in a child; A rare entity in pediatric dermatology.23th EADV, Amsterdam, Netherland.2014. POSTERID: P1430

**Bahareh Abtahi-Naeini**, Farahnaz Fatemi Naeini :Successful treatment of primary axillary hyperhidrosis with Fractionated Microneedle Radiofrequency.23th EADV, Amsterdam, Netherland.2014. POSTERID: P623

**Bahareh Abtahi-Naeini** , Zabihollah Shahmoradi ;Successful surgical intervention in extensive abdominal and genital pyoderma gangrenosum.23th EADV, Amsterdam, Netherland.2014. POSTERID: P649

**Bahareh Abtahi-Naeini** , Zabihollah Shahmoradi:Recalcitrant digital porokeratosis of Mibelli successful surgical treatment. .23th EADV, Amsterdam, Netherland.2014. POSTERID: P652

## Research and Projects

No	Title	Director/cooleague	Date	Grant
1	The evaluation of cutaneous adverse drug eruption in patients in hospital associated Isfahan university of Medical sciences.	Second director	2014	University of Medical Sciences (Isfahan, Iran)
2	Efficacy of intense pulsed light combined with topical adapalen.1% versus intense pulsed light alone in the treatment of acne vulgaris	Second director	2015	University of Medical Sciences (Isfahan, Iran)